




METRO PARK WOOD
RIGIDFORM™ SPC

Milliken®



IT CALLS TO US





Metro Park

Metro Park RigidForm SPC pairs classic, natural aesthetics with modern materials and engineering—enhancing performance characteristics while keeping you connected to nature.



CHARTER OAK



BEECH



LIVE OAK



HICKORY



GOLDEN OAK



ROYAL OAK



Saturates in Chartreuse, monolithic installation, Pike in Dew









Patina in Clay Tint(25cm X 1m), ashlar installation, Heritage Wood in Honor





WaterFall in Marble Fluid(25cm X 1m), ashlar installation, Eucalyptus Saligna in Koala

















Eucalyptus Saligna in Wombat







CAFE MENU

HOT DRINKS

Americano	\$4.99
Espresso	\$3.00
Latte	\$4.99
Vanilla Latte	\$4.75
Capuccino	\$6.99
Mocha	\$5.99
Chocolate	\$4.99

COLD DRINKS

Americano	\$5.75
Espresso	\$6.99
Latte	\$5.75
Vanilla Latte	\$5.75
Capuccino	\$6.99
Mocha	\$5.99
Chocolate	\$4.99







Kokutan in Kuro









Charter Oak in Smoke



Golden Oak in Amber



Distressed in Timeworn, monolithic installation, Royal Oak in Knight





Hickory in Parchment





Dissident in City State, monolithic installation, Live Oak in Jacobean

QUICK REFERENCE GUIDE




PIKE



TILE SIZE

7" x 48"

COLORS

-  **Cloud** *PKK144*
-  **Dew** *PKK121-204*
-  **Antler** *PKK124-208*




HERITAGE WOOD



TILE SIZE

7" x 48"

COLORS

-  **Honor** *HTG218*
-  **Pride** *HTG208*
-  **Legacy** *HTG145*



EUCALYPTUS SALIGNA



TILE SIZE

7" x 48"

COLORS

-  **Koala** *ECS122*
-  **Wombat** *ECS114*



KOKUTAN



TILE SIZE

7" x 48"


COLORS

-  **Bokken** *KKT121*
-  **Kuro** *KKT145*

QUICK REFERENCE GUIDE


SHENANDOAH



TILE SIZE
7" x 48"
COLORS
 **Moose** SHE145


APPLEWOOD



TILE SIZE
7" x 48"
COLORS
 **Cider** APL77


CHARTER OAK



TILE SIZE
7" x 48"
COLORS
 **Smoke** COK144

BEECH



TILE SIZE
7" x 48"
COLORS
 **Grove** BEH21-121

LIVE OAK



TILE SIZE

7" x 48"

COLORS

 **Jacobean** LOK18

HICKORY



TILE SIZE

7" x 48"

COLORS

 **Parchment** HCR22-20

GOLDEN OAK




TILE SIZE

7" x 48"

COLORS

 **Amber** GOK22

ROYAL OAK



TILE SIZE

7" x 48"


COLORS

 **Knight** ROK176

STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular carpet, luxury vinyl
Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

RIGIDFORM™ SPC CONSTRUCTION



Wear Layer Thickness
22 mil (0.55 mm)

- 1. PROGUARD™ REINFORCED POLYURETHANE**
Provides superior stain and scratch resistance, eliminates the need for polishes/waxes, for reduced maintenance costs and improved Indoor Air Quality (IAQ) performance
- 2. WEAR LAYER**
Transparent embossed 0.55 mm wear layer provides protection and appearance retention in demanding commercial environments
- 3. PRINTED LAYER**
High-resolution printed film delivers stunning realistic visuals of wood and stone
- 4. SECURELOCK™ RIGID LAYER**
This stable layer provides unsurpassed durability that also hides subfloor imperfections, with a locking mechanism that allows for quick and easy adhesive-free installation
- 5. INTEGRAL ACOUSTIC BACKING**
Pre-attached underlayment minimizes sound, is shock absorbent, provides comfort underfoot and further assists with concealment of subfloor imperfections

PROGUARD™ 增强PU涂层
超强抗污抗刮擦性能, 无需打蜡抛光, 减少维护保养成本, 提升室内空气质量

耐磨层
采用0.55mm透明压花耐磨层, 满足商用环境的使用要求

印花层
高清晰度的印刷彩膜提供逼真的图像

SECURELOCK™ 硬核层
采用硬质核心层工艺, 更结实耐用, 有效应对地面基层缺陷, 锁扣免胶安装更方便, 更环保

自带隔音垫
产品自带的隔音垫减少楼层间噪音传导, 提高脚感舒适度, 并且帮助应对地面基层缺陷

SPC that works harder *and* smarter



RIGIDFORM

- Holds heavy loads, i.e. lobby desks
- No acclimation or deformation from temperature
- Can install on raised floor
- Acoustic layer attached, reduce noise transmission, improve underfoot comfort



SECURELOCK

- Strong and durable edge profile
- Waterproof locking mechanism
- Easy installation
- Adhesive-free installation, improve indoor air quality



PROGUARD

- Scratch- and scuff-resistant
- Resists stains and chemicals
- Easy maintenance, no need for polish/wax

硬核工艺

- 更耐重压
- 无需适温，温差不易变形
- 可在高架地板安装
- 自带隔音垫，减少噪音，提高脚感舒适度

安全锁扣

- 锁扣结实耐用，不易开裂
- 防水锁扣
- 安装方便
- 免胶安装，更环保

专业表层防护

- 耐刮擦
- 耐污迹，耐化学物质
- 方便日常打理，无需打磨打蜡



WARRANTY

Milliken Luxury Vinyl Tile products are backed by a 15 year Heavy Commercial & Lifetime wear warranty, ensuring quality and giving peace of mind.



ENHANCED INVENTORY PROGRAM

With an enhanced inventory level for large installations containing select patterns and colors, Milliken's Asia based inventory system makes it easy to respond as quickly as possible to your project needs.



MOISTURE MANAGEMENT

Our RIGIDFORM. SPC Tiles are water proof flooring materials, which can be installed adhesive free with Milliken's SECURELOCK system.



SUSTAINABILITY

In keeping with Milliken's long-standing culture of sustainability, our Luxury Vinyl Tile products are 100% Ortho-Phthalate free. They do not contain problematic post-consumer recycled material. Further, Milliken's Luxury Vinyl Tiles are certified to the most stringent global environmental standards. For further information, visit

» millikenfloors.com/sustainability

Metro Park

RIGIDFORM™ SPC

Construction - High Performance Rigid Core Flooring

Finish - ProGuard™ Reinforced Polyurethane Coating

Wear Layer Thickness - 0.55 mm

Size - 7" x 48" (18.14cm x 123.50cm)

Overall Thickness - 6.2 mm

Pieces Per Box - 9 PCS

Weight Per Box - 20.6kg

Quantity Per Box - 2.02 m²

Edge Profile - Micro Bevel

Critical Radiant Flux (ASTM E648) - Pass - Class I

Smoke Density (ASTM E662) - Pass - ≤ 450

Heat Stability by Color Change (ASTM F1514) - Pass

Light Stability (ASTM F1515) - Pass

Static Coefficient of Friction (ASTM D2047) - Pass

Determination of Dimensional Stability & Curling after Exposure to Heat (ISO 23999)
- Pass

Resistance to Chemicals (ASTM F925) - Pass

Static Load Limit (ASTM F970) - Pass

Installation - SecureLock™ locking mechanism

Warranty - 15 Year Limited Commercial Wear Warranty

产品结构 - 高性能硬核地板

表层工艺 - ProGuard™ 增强聚氨酯涂层

耐磨层厚度 - 0.55 mm

尺寸 - 7" x 48" (18.14cm x 123.50cm)

总厚度 - 6.2 mm

每箱片数 - 9片

每箱重量 - 20.6kg

每箱数量 - 2.02 m²

倒角类型 - 微倒角

临界辐射通量 (阻燃性) (ASTM E648) - 通过, 一级

抗烟雾浓度 (ASTM E662) - 通过 - ≤ 450

耐热性能 (ASTM F1514) - 通过

耐光性能 (ASTM F1515) - 通过

静摩擦系数 (ASTM D2047) - 通过

受热尺寸稳定性及翘曲 (ISO 23999) - 通过

耐化学性能 (ASTM F925) - 通过

静态载荷极限 (ASTM F970) - 通过

安装方式 - 安全锁扣系统

质保 - 15年商用耐磨层有限质保

LVT ENVIRONMENTAL STANDARDS

Milliken LVT is highly durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics. Milliken LVT is 100% ortho-phthalate-free. Milliken LVT is manufactured at facilities that are ISO 9001 and ISO 14001 compliant.



Declare.



Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual product samples to make your final selections.

China

North & North West &
South West Of China
T +86 10 6465 1206
T +86 133 0101 8460
South of China &
HK & Macau
T +86 181 1743 0032
East & Central of China
T +86 21 6145 1758

India

Bangalore
T +91 98408 98963
Delhi
T +91 95010 11800
Hyderabad
T +91 99631 64059
Mumbai
T +91 98926 00362

Rest of Asia

Manila
T +63 915 816 7127
Seoul
T +82 2 3783 0747
Singapore
T +65 6593 1301
Tokyo
T +81 3 5203 8406
Jakarta
T +6221 2960 7222



www.millikencarpet.com

2710029463
Issued Mar 2022